Lista de Artigos

Linha	Cod.	Designação	Unidade	Qtd
1	1	Dell EMC Storage SCv3020 3YR PRO NBD ou solução equivalente: SCv3020 3Ux30 Drive Storage Array 1 Rack Rails, Static 1 SCv30X0 Dual Controller Components 1 SC Bezel 1 Redundant Power Supply, 1485W, C14 1 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord, Qty2 1 SC, SFP+, 4-port, Mezz Card, Qty 2 1 IO, 12G SAS, 4port, PCI-E, Full height, Qty 2 1 2.5in SAS Drive Blank 17 SC, 1.2TB, SAS, 12Gb, 10K, 2.5\", HDD 13 12Gb HD-Mini to HD-Mini SAS cable, 2m, Qty 2 2 Storage Center Core Software Bundle, Base License 1 3Yr Parts Only Warranty 1 3Yr ProSupport and Next Business Day On-Site Service	UN	1

2	2	DELL PowerEdge R640 3YR PRO NBD ou solução equivalente: 2.5 Chassis with up to 8 Hard Drives and 3PCIe slots, 1 or 2 CPU 1 Trusted Platform Module 2.0 1 Intel Xeon Silver 4215 2.5G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400 1 Intel® Xeon® Silver 4215 2.5G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400 1 2 Standard Heatsinks for 165W or less CPUs 1 Performance Optimized 1 2933MT/s RDIMMs 1 32GB RDIMM, 2933MT/s, Dual Rank 8 Windows Server® 2019 Standard,16CORE,FI,No Med,No CAL, Multi Language 1 Windows Server® 2019 Standard,16CORE,Media Kit, Multi Language 1 Windows Server® 2019 Standard Edition, Add License,16CORE,NO MEDIA/KEY 2 C3, RAID 1 for 2 HDDs or SSDs (Matching Type/Speed/Capacity) 1 PERC H330 RAID Controller, Minicard 1 240GB SSD SATA Mixed Use 6Gbps 512e 2.5in Hot Plug S4610 Drive 2 Power Saving Dell Active Power Controller 1 UEFI BIOS Setting 1 8 Standard Fans for R640 1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W 1 Rack Power Cord 2M (C13/C14 10A) 2 Riser Config 2, 3x16 LP 1 iDRAC9,Enterprise 1 Broadcom 57412 Dual Port 10GbE SFP+ & 5720 Dual Port 1GbE BASE-T rNDC 1 SAS 12Gbps HBA External Controller, Low Profile 1 LCD Bezel for x4 and x8 chassis 1 No Quick Sync 1 ReadyRails Sliding Rails With Cable Management Arm 1 iDRAC,factory Random Password 1 iDRAC Service Module (ISM), NOT Installed 1 iDRAC Group Manager, Enabled 1 No Internal Optical Drive 1 5-pack of Windows Server 2019/2016 User CALs (Standard or Datacenter) 1 10-pack of Windows Server 2019/2016 User CALs (Standard or Datacenter) 2 5-pack of Windows Server 2019 Remote Desktop Services, User 2 Basic Next Business Day 36 Months, 36 Month(s) 1 ProSupport and Next Business Day Onsite Service, 36 Month(s) 1	UN	2

3	3	DELL PowerEdge R740xd 3YR PRO NBD ou solução equivalente: PowerEdge R740XD Server 1 Chassis with up to 12x3.5\" HDD, 4 x3.5\" HDDs on MP and 4x2.5 HDDs on Flexbay for 2CPU Config 1 Trusted Platform Module 2.0 1 Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400 1 Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400 1 2 Heatsinks for Midbay Configuration 1 Performance Optimized 1 2933MT/s RDIMMs 1 32GB RDIMM, 2933MT/s, Dual Rank 8 Windows Server® 2019 Standard,16CORE,FI,No Med,No CAL, Multi Language 1 Windows Server® 2019 Standard,16CORE,Media Kit, Multi Language 1 C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) 1 PERC H730P RAID Controller, 2Gb NV Cache, Minicard 1 8TB 7.2K RPM NLSAS 12Gbps 512e 3.5in Hot-plug Hard Drive 7 1TB 7.2K RPM SATA 6Gbps 512n 3.5in Internal Hard Drive 2 240GB SSD SATA Mixed Use 6Gbps 512e 2.5in Hot Plug Flex Bay S4610 Drive 2 Power Saving Dell Active Power Controller 1 UEFI BIOS Setting 1 6 Performance Fans forR740/740XD 1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W 1 Rack Power Cord 2M (C13/C14 10A) 2 Riser Config 2, 3 x8, 1 x16 slots 1 iDRAC9,Enterprise 1 Broadcom 57416 Dual Port 10GbE BASE-T & 5720 Dual Port 1GbE BASE-T, rNDC 1 PowerEdge 2U Standard Bezel 1 No Quick Sync 1 ReadyRails Sliding Rails With Cable Management Arm 1 iDRAC,factory Random Password 1 iDRAC Service Module (ISM), NOT Installed 1 iDRAC Group Manager, Enabled 1 Asset Tag - ProSupport (Website, barcode, Onboard MacAddress) 1 Configuration Services, Standard ISG System Report, Deliver Via Email 1 Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM) 1 No Systems Documentation, No OpenManage DVD Kit 1 PowerEdge R740 Shipping Materia 1 PowerEdge R740xd Shipping EMEA1 (English/French/German/Spanish/Russian/Hebrew) 1 Basic Next Business Day 36 Months, 36 Month(s) 1 ProSupport and Next Business Day Onsite Service, 36 Month(s) 1	UN	1

4	4	Switch Dell Networking N2000 Lifetime ou solução equivalente: Dell Networking N2048P, POE+, 48x 1GbE + 2x 10GbE SFP+ Ports, Stacking, 1x AC PSU, IO to PSU Airflow 1 Stacking Cable, for Dell Networking (no cross-series stacking), 0.5m 1 Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 2 Power Cord PDU(Rack) 250V, 1M (C14/C15 for PoE only) 1 Base Warranty 1 Lifetime Limited Hardware Warranty: Basic Hardware Service Parts Only - No Warranty Upgrade 1	UN	2
5	5	Licença VMware Essentials Plus 6CPU 3YR ou solução equivalente: VMware vSphere Essentials Plus 1 VMware, vSphere Essentials Plus, 6CPU, 3 Years,EUR 1 ProSupport for Software, Dell VMware, 3 Years 1	UN	1
6	6	Licença Backups DELL Data Protection Suite 3YR ou solução equivalente: Commercial Data Protection Suite DDVE Bundle 1 Commercial DPS DDVE Bundle per Socket, 3YR=IA 4 Data Protection Suite 2TB AVE H Enabler=CA 2 DDVE Perpetual Capacity Channel ENTRY 1TB=CA 8 3 Years, ProSupport Next Business Day, Software Entitlement 1 3 Years, ProSupport Next Business Day, Data Protection Suite for Commercial, 1 Socket 4 No Installation Service Selected (Contact Sales rep for more details) 1	UN	1
7	7	Serviços de implementação e configuração	UN	1